Trop. Sci. 1991, **31**, 429–432

Author Index

AALBERSBERG W.G.L., ALI N., NAIDU R. and SOTHEESWARAN S. Alpha-glucosidase activity in four varieties of Fiji sugar cane, 417
AALBERSBERG W.G.L. and LIMALEVU L. Cyanide content in fresh and processed Fijian cassava (*Manihot esculenta*) cultivars, 249
AINA J.O. and UKO E.E. Preliminary studies on tropical hop substitutes, 379
AKANDE G.R., KNOWLES M.J. and TAYLOR K.D.A. Rancidity and changes in fatty acid composition of salted dried and salted smoked mackerel cakes, 55
AKINBOLU A.M., UKOH U.U., NEGBENEBOR C.A. and IGENE J.O. Evaluation of post-harvest losses and quality changes in tomatoes in Borno State, Nigeria, 235
ALI N. *see* AALBERSBERG W.G.L.
ALMAZAN A.M. Chemical changes in some cooking banana and plantain cultivars during ripening, 335
AMES G.R. *see* TARIQ A.S.
ANU APPAIAH K.A. *see* MASTAN PASHA M.
APELBAUM A. *see* BARKAI-GOLAN R.
ASAOKA M. *see* RICKARD J.E.
AWORH O.C., NWANKWO C.F. and OLORUNDA A.O. Control of post-harvest losses in citrus fruits under tropical conditions: effects of wax and fungicide, 177

BALAGOPALAN C. *see* PADMAJA G.
BALIAD M.E. *see* QUEVEDO M.A.
BARKAI-GOLAN R. and APELBAUM A. Synergistic effects of heat and sodium o-phenyl phenate treatments to inactivate *Penicillium* spores and suppress decay in citrus fruits, 229
BENNETT-LARTEY S.O. The longevity of pea, sunflower and groundnut seeds under controlled temperature and moisture content conditions, 9
BHASHYAM M.K. *see* SRINIVAS T.
BLACK R. and DELBEKE A. Moko disease (*Pseudomonas solanacearum*) of *Musa* in Belize, 347
BLANSHARD J.M.V. *see* RICKARD J.E.
BLAUSCHILD Y. *see* DONAHAYE E.

CALDERON M. *see* PASTER N.

DANI N.P. *see* MAHENDRAKAR N.S.
DAS S. *see* SAHAY M.N.
DELBEKE A. *see* BLACK R.
DIB H.A.K. and MORRIS A.K.J. Lebanese filled cheese: chemical and physical changes during storage, 387
DONAHAYE E., NAVARRO S., ZIV A., BLAUSCHILD Y. and WEERRASINGHE D. Storage of paddy in hermetically sealed plastic liners in Sri Lanka, 109

ECHENDU T.N.C. Ginger, cashew and neem as surface protectants of cowpeas against infestation and damage by *Callosobruchus maculatus* (Fab.), 209
ETHIRAJ S. *see* SURESH E.R.

EFIUVWEVWERE B.J.O. and OYELADE J.A. Biodeteriorative and physico-chemical changes in modified quality of the preserved and unpreserved juice, 325

FIRMIN A. Chemical and physical changes in plantains (*Musa paradisiaca*) during ripening, 183

GALLAT S. *see* WESTBY A.
GANGADHARAN C. *see* SAHAY M.N.

HAMMONDS T.W., HARRIS R.V. and HEAD S.W. The effect of water on the extraction of oil from groundnut paste using a plate press, 65
HAMMONDS T.W., HARRIS R.V. and HEAD S.W. The influence of moisture on the extraction of oil from fresh, grated coconut, 73
HARRIS R.V. *see* HAMMONDS T.W.
HEAD S.W. *see* HAMMONDS T.W.
HEAD S.W. *see* HARRIS R.V.
HEAD S.W. *see* HAMMONDS T.W.
HOTSONYAME G.K. The influence of pattern, density and season of planting on the growth and yield of the horn-type plantain cultivar Borodewuio (*Musa acuminata* and *M. balbisiana* AAB), 421
HUSSAINI S.H. *see* RAMESH BABU

IGENE J.O. *see* AKINBOLU A.M.

JAISWAL D.K. *see* SAHAY M.N.
JOSHI Y.C. *see* NAUTIYAL P.C.

KARANTH N.G.K. *see* MASTAN PASHA M.
KHABADE V.S. *see* MAHENDRAKAR N.S.
KNOWLES M.J. *see* AKANDE G.R.

LIMALEVU L. *see* AALBERSBERG W.G.L.

MAHENDRAKAR N.S., KHABADE K.P., YASHODA K.P. and DANI N.P. Chemical and microbiological changes during autolysis of fish and poultry viscera, 45
MAIKHURI R.K. Nutritional value of some lesser-known wild food plants and their role in tribunal nutrition. A case study in North East India, 397
MANJUNATH N. *see* RAJU G.N. and SRINIVAS T.
MENASHEROV M. *see* PASTER N.
MOHAMMAD S. and SHAM SUNDER R. Effect of seed treatment and storage containers on the maintenance of viability of sunflower seed, 223
MOOTOO A. Effect of post-harvest calcium chloride dips on ripening changes in 'Julie' mangoes, 243
MORRIS A.E.J. *see* DIB H.A.K.
MORTON, I.D. *see* YOUSIF A.K.
MUSTAFA A.I. *see* YOUSIF A.K.
MASTAN PASHA M., ANU APPAIAH K.A. and KARANTH N.G.K. Efficacy of thiram as a seed dressing fungicide and its effect on seedling vigour of paddy, 123

NAIDU R. *see* AALBERSBERG W.G.L.
NAUTIYAL P.C. and JOSHI Y.C. Storage of rabi/summer groundnut (*Arachis hypogaea* L.) with calcium chloride for prolonged seed viability and vigour, 21
NAVARRO S. *see* DONAHAYE E.
NEGBENEBOR C.A. *see* AKINBOLU A.M.
NWINYI S.C.O. Pre-planting method and duration of storing sweet potato (*Ipomoea batatas* (L) Lam) shoot cutting materials for increased tuber yield, 1

OGALI E.L., OPADOKUN J.S. and OKOBI A.O. Effect of lime and local gin on post-harvest rot of yams, 365
OKAKA J.C., OKORIE P.A. and OZO O.N. Quality evaluation of sun-dried yam chips, 265
OKOBI A.O. *see* OGALI E.L.
OKORIE P.A. *see* OKAKA J.C.
OPADOKUN E.L. *see* OGALI E.L.
OYELADE J.A. *see* EFIUVWEVWERE B.J.O.
OZO O.N. *see* OKAKA J.C.

PADMAJA G. and BALAGOPALAN V. Effect of molasses and urea on the silage fermentation of cassava tubers, 257
PANDURANGE GOWDA K.T. *see* SRINIVAS T.
PANIGRAHI S. Metabolizable energy (ME) value of high residual lipid copra meal in formulating broiler chick diets, 141
PASTER N., CALDERON M., MENASHEROV M., BARAK V. and MORA M. Application of biogenerated atmospheres for insect control in small grain bins, 355
PHILLIPS F.H. The pulping and papermaking potential of young plantation-grown eucalypts from Dongmen, China, 277
PLUMBLEY R.A. and RICKARD J.E. Post-harvest deterioration of cassava, 295

QUEVEDO M., SANICO R.T. and BALIAD M.E. The control of post-harvest diseases of taro corms, 359

RAJU G.N., MANJUNATH N. and SRINIVAS T. Grain chalkiness in cereals, 407
RAMESH BABU T., HUSSAINI S.H., SRIRAMULU M. and SIDDIQUI M.K. Effect of inert clay and insect growth regulators on the development of *Callosobruchus chinensis* L. and the germination of mung bean seed [*Vigna radiata* (L.) Wilczek], 217
RICKARD J.E., ASAOKA M. and BLANSHARD J.M.V. The physico-chemical properties of cassava starch, 189
RICKARD J.E. *see also* PLUMBLEY R.A.
RODRIGUES B.F. and TORNE S.G. A chemical study of seeds in three *Canavalia* species, 101
ROGERS J.F., TARIQ A.S. and AMES G.R. A fuel efficient kiln for Nile perch, 83

SAHAY M.N., GANGADHARAN C., JAISWAL D.K. and DAS S. Post-production qualities of early rice (*Oryza sativa* L.) and criteria for variety release, 371
SANICO R.T. *see* QUEVEDO M.A.
SHAM SUNDER R. *see* MOHAMMAD S.
SIDDIQUI M.K.H. *see* RAMESH BABU T.
SOTHEESWARAN S. *see* AALBERSBERG W.G.L.
SRINIVAS T., BHASHYAM M.K., MANJUNATH N. and PANDURANGE GOWDA K.T. Influence of cob and grain characteristics on the processing properties of maize, 305
SRINIVAS T. *see also* RAJU G.N.
SRIRAMULU M. *see* RAMESH BABU T.
SURESH E.R. and ETHIRAJ S. Utilization of overripe bananas for vinegar production, 317

TAFAZOLI E. Effects of growth regulators on 'Shahani' dates in relation to producing seedless fruits, 171
TARIQ A.S. *see* ROGERS J.F.
TAYLOR K.D.A. *see* AKANDE G.R.
TORNE S.G. *see* RODRIGUES B.F.
TWIMASI K.A. Strength characteristics of packaging papers made from tropical wood species, 95

UKO E.E. *see* AINA J.O.
UKOH U.U. *see* AKINBOLU A.M.

WADSWORTH, J.I. and HAYES R.E. Variation in rice associated with kernel thickness. III Milling performance and quality characteristics, 27
WEERASINGHE D. *see* DONAHAYE E.
WESTBY A. and GALLAT S. The effect of fermentation on the viscosity of sorghum porridges, 131

YASHODA K.P. *see* MAHENDRAKAR N.S.
YOUSIF A.K., MORTON I.D. and MUSTAFA A.I. Effect of storage and packaging on some chemical and physical properties of date paste, 159
YOUSIF A.K., MORTON I.D. and MUSTAFA A.I. Processing, evaluation and water relations of date paste, 147

ZIV A. *see* DONAHAYE E.

Subject Index

Anacardium occidentale, 209
Arachis hypogaea, 9, 21, 65
Azadirachta indica, 209

Banana, 335
Belize, 347
Bookshelf, 105, 213, 321, 425

Calcium chloride, effect on seed storage, 21
Callosobruchus maculatus, 209
Canavalia ensiformis, 101
Canavalia gladiata, 101
Canavalia virosa, 101
Cashew nut, 209
Cassava, 189

Central America, 347
Cheese, 387
Chemical constituents, *Canavalia* spp., 101
Chick diets
  copra meal, 141
  diet formulation, 141
  metabolizable energy, 141
Citrus sinensis, 325
Citrus spp., 177
Coconut, 73
Colocasia esculenta, 359
Cooking banana, 335
Cowpea weevil, 209

Date paste
  chemical properties, 159
  chemical composition, 147
  physical properties, 159
  processing, 147
  storability, 159
  water activity, 147
Date, 147, 159, 171
Diet formulation, chicks, 141
Dioscorea alata, 365
Dioscorea rotundata, 365
Drying, Nile perch, 83

Ensilage
  fish offal, 45
  poultry offal, 45

Fiji, 417
Fish offal
  autolytic changes during ensilage, 45
  microbial changes during ensilage, 45
Fish preservation, fuel efficiency, Tanzania, 83
Fuel efficiency, preservation, Nile perch, 83

Ghana, 421
Gin, effect on post-harvest rot in yam, 365
Ginger, 209
Grain storage, effect of modified atmosphere on insect control, 355
Grain, chalkiness, 407
Graminae, glucosidase activity, 417
Graminae, K_m values, 417
Grapefruit, 177
Groundnut, 9, 21, 65
Groundnut paste, moisture content effect on oil extraction efficiency, 65
Growth regulators, date, 171
Growth, plantain, 421

Helianthus annuus, 9
Hermetic storage, using plastic liners for rice, 109
Hop substitutes
  antimicrobial properties, 379
  bitterness, 379

India, 397
Ipomoea batatas, 1
Insect control, in grain storage, 355

Kernal thickness
  effect on processing losses in rice, 27
  effect on food blends, 27
Lates niloticus, 83
Lebanese cheeses
  brined cheese, 387
  filled cheese, 387
  imitation cheese, 387
  soft, 387
  white cheese, 387
Lime, effect on post-harvest rot in yam, 365
Loss evaluation, tropical storage, rice, 109

Mackerel, 55
Maize, 407
Manihot utilissima, 189
Milling rice, 27
Moisture absorption, effect on viability of
  groundnut seed, 9
  pea seed, 9
  sunflower seed, 9
Moko disease, in banana bluggoe, 347
Musa acuminata, 421
Musa balbisiana, 421
Musa paradisiaca, 183
Musa spp., 335, 347

Neem, 209
Nigeria, 177
Nile perch, 83
Nutrition, role of wild plants in India, 397

Oil extraction efficiency
  coconut, effect of moisture content, 73
  groundnut paste, 65
Oranges, 177, 325
Oryza sativa, 27, 109, 123, 371, 407

Packaging
  mackerel, 55
  effect on microbiological quality of orange juice, 325
Packaging papers, strength characteristics, 95
Paddy, 109, 123
Parthenocarpic development, date, 171
Pea, 9
Pest control
  use of cashew nut shell oil, 209
  use of ginger oil, 209
Phoenix dactylifera, 147, 159, 171
Physico-chemical changes, during storage, oranges, 325
Physico-chemical properties, cassava, 189
Pisum sativum, 9
Plantain, 183, 335, 421
Planting pattern, of plantain, 421
Planting season, plantain, 421
Post-harvest diseases, of taro, 359
Post-harvest losses, *Citrus* spp., 177
Poultry offal
  autolytic changes during ensilage, 45
  microbial changes during ensilage, 45
Processing plantain, 183
Pseudomonas solanacearum, 347

Release criteria, for rice varieties, 371
Rice, 27, 109, 123, 371, 407

Ripening
  chemical changes in banana, 335
  chemical changes in cooking banana, 335
  chemical changes in plantain, 183

Saccharum officinarum, 417
Scomber scombrus, 55
Seed quality, comparing seed treatments, rice, 123
Seed storage
  groundnut, 21
  rice, 123
Small grain bins, role in insect control, 355
Smoking, Nile perch, 83
Sorghum porridge
  acceptibility, 131
  fermentation, 131
  viscosity, 131
Sorghum, 131, 407
Storage
  of *Citrus* spp., 177
  of date paste, 159
  disease control in taro, 359
  effects on sweet potato shoot cuttings, 1
  of oranges, 325
  seed viability
    groundnut, 9
    sunflower, 9
    pea, 9
Storage life, yam, 365
Storage stability, Lebanese cheeses, 387
Sugar cane, 417
Sunflower, 9
Sweet potato, 1

Tanzania, 83
Taro, 359
Thiram, seed treatment, rice, 123
Tribolium castaneum, 355
Tropical storage
  quality assessment
    mackerel, 55
  rice, 109
Tropical vegetables, as hop substitutes, 379
Tropical wood species, packaging papers, 95
Tuber yield, sweet potato, effects of storage, 1

Wheat, 407
Wild plants
  nutritional analysis, 397
  role in tribal nutrition, 397

Yam, 365
Yield
  plantain, 421
  rice varieties, 371

Zingiber officinale, 209